

**OIL & GAS DEVELOPMENT COMPANY LIMITED
PROCUREMENT DEPARTMENT, ISLAMABAD
FOREIGN SECTION B**

(To be completed, filled in, signed
and stamped by the principal)

22

ANNEXURE 'A'

Material DRILLING CONSUMABLES (20" CASING)
Tender Enquiry No PROC-FB/CB/D-1733/2016
Due Date
Evaluation Criteria FULL

SCHEDULE OF REQUIREMENT

Sr No	Description	Unit	Quantity	Unit Price (FOB)	Total Price (FOB)	Unit Price C & F BY SEA	Total Price C & F BY SEA	Deviated From Tender Spec. If Any
1	20" OD SEAMLESS STEEL CASING PIPES GRADE K-55, WEIGHT 106.5 LBS/FT, 3(THREADS PER INCH)/TPI, R-3, PSL-3 CONFORMING TO PAI SPECS 5CT (DETAIL DESCRIPTION ATTACHED AT PAGE-2)	Meter	11000					
2	20" OD Seamless Steel casing crossover conforming to API specs 5CT, grade K-55, weight 106.5 lbs/ft, PSL-3, over all length 2 Meters(detail description attached)	Number	15					
3	20" OD Seamless Steel casing crossover conforming to API specs 5CT, grade K-55, weight 106.5 lbs/ft. PSL-3, over all length 2 Meters(detail description attached)	Number	15					

Note: AMOUNT OF UPFRONT BID BOND TO BE SUBMITTED WITH TECHNICAL BID IS USD 54,000/- (UNITED STATES DOLLARS FIFTY FOUR THOUSAND ONLY).

DETAILED DESCRIPTION

- 1- 20" OD seamless steel casing pipe conforming to API specs 5CT Grade K-55, Weight 106.5 lbs/ft., 3TPI thread connection, PSL-3, R-3 with steel/rubber thread protectors on both ends. Proper colour coating on coupling for grade identification and with outside coating for rust protection during transit (Drifted for 17-1/2" bit). QTY 11000 Meters.
2. 20" OD Seamless Steel casing crossovers conforming to API specs 5CT, grade K-55, weight 106.5 lbs/ft, PSL-3, overall length 2 meter having Pin connection 3TPI offered at Sr # 1 and Box connection BTC complete with steel /rubber thread protectors on both ends. Proper colour coding on coupling for grade identification and with outside coating for rust protection during transit (factory drifted for 17-1/2" bit) Qty. 15 Nos.
3. 20" OD Seamless Steel casing crossovers conforming to API specs 5CT, grade K-55, weight 106.5 lbs/ft, PSL-3, overall length 2 meter having Pin connection BTC and Box connection 3TPI offered at Sr # 1 complete with steel /rubber thread protectors on both ends. Proper colour coding on coupling for grade identification and with outside coating for rust protection during transit (factory drifted for 17-1/2" bit).Qty. 15 Nos.

GENERAL TERMS & CONDITIONS.

1. The manufacturer of casing pipes must have approval of API specs 5CT for the last seven consecutive years as mother casing pipe manufacturer and threader (One Manufacturer) . In this regard latest & consecutive seven years back API certificates must be submitted with the technical offer. Scope of license should have (i) Manufacturer of casing or Tubing plain end, (ii) Manufacture of casing or tubing threaded and coupled (iii) Threader and (iv) PSL-3. Manufacturer API 5CT certificate with processor of casing & tubing plain end and processor of casing threaded & coupled will not be consider as manufacturer.
2. Bidder proving API 5CT of manufacturer as processor of casing & tubing plain end will not be consider as manufacturer.
3. The casing pipes must be brand new & un-used. Confirmation to this effect is required in the technical offer.
4. The successful bidder will be required to furnish mill inspection certificate for casing pipes with shipping documents. Confirmation to this effect must be provided in the technical offer.
5. Authority letter in original from the manufacturer(s) covering Warranty/Guarantee for offered casing pipes for a period of 1 years from date of shipment with tender enquiry number must be furnished with the technical offer.
6. Authority letters in original from the manufacturer to bidder and from bidder to local agent for offered casing pipes with tender enquiry number must be furnished with the technical offer. The authority letters must be on company letter head, showing the name and contact details (E-mail & fax number) of the signing authority.
7. Original Brochure or brochure on CD format of the manufacturer(s) containing technical literature/specs sheets specifying physical/performance properties of quoted 20" casing pipes must be submitted with the technical offer.
8. The manufacturer should have minimum 7 (seven) years experience in the manufacturing of 20" casing pipes with threading and have supplied 20" casing pipes to the major international E & P companies like Saudi Aramco, PDO, KOC, Shell, BP, Total, ENI, MOL, OMV or equivalent. In this regard bidder(s)/ manufacturer should provide last 7 (seven) years comprehensive detailed supply record of each year containing detail of 20" casing pipes, grade, weight, quantity, name of customer should be submitted with the technical offer. (Supply record of ir-relevant casing size other than 20" casing will not be acceptable). The supply record must be on the company letterhead and should indicate the Name & Designation of the signing authority along with his complete contact details phone & fax numbers and his official email address.
9. If manufacturer has not already supplied 20" casing pipes to OGDCL from the same quoted Manufacturer, then bidder will submit three satisfactory performance certificates in favor of quoted casing pipes manufacturer from three (03) renowned international E&P companies like Saudi Aramco, PDO, KOC, Shell, BP, Total, ENI, MOL, OMV or equivalent other than manufacturer's own country for 20" casing pipes during last seven years. If manufacturer has supplied 20" casing to OGDCL its performance will be evaluated on in house report. The certificates must be on the company letterhead and should indicate the Name & Designation of the signing authority along with his complete contact details phone & fax numbers and his official email address. However above certificate(s) issued by supply/trading house(s) will not be accepted.
10. Third party inspection by internationally reputed inspection company under witness of 02 (two) OGDCL professionals is required as per oil industry practice. TPI will be arranged by OGDCL from any of the following parties (i) M/S Lloyd's international (ii) M/S SGS group (iii) M/S Moody's international (iv) M/S Velose. Bidder will assist and make necessary arrangement for TPI. Bidder to confirm that the Third Party Inspection (TPI) report verified by OGDCL will be provided with the shipping documents for LC encashment:
Scope of work for TPI will be as follow.
 - (i) Full body ultrasonic inspection.
 - (ii) Visual thread inspection.
 - (iii) Full body API drift (iv) Verification of mill test certificate.
11. Ex-works inspection of the consignment will be carried out by third party inspection company under the witness of two (02) OGDCL Professionals. The inspection cost of OGDCL professionals will be borne by OGDCL including air fare, boarding/lodging etc. Bidder will only provide

in-land security and transportation of OGDCL professionals at country of origin/ inspection facility.

12. Evaluation criteria will be Full consignment wise.

13. Bidder(s) must ensure to provide required specification/information/documents mentioned above. OGDCL can verify any documents provided and incase of non-verification and non-provision of any required documents bid(s) will be rejected during technical evaluation and no further clarification(s) will be considered/ entertained.

14. Delivery required: - Within four (04) Months after establishment of letter of credit C&F Karachi by sea.